Mumtaz, Ahmed Khan

M.L.A.(T.S.)A.I.M.I.M.

68, Yakutpura Constituency
OFFICE: Darusalam, Aghapura,

Hyderabad - 500 001

Telephone: 2480 4947, 2480 2655

RESIDENCE: H.No. 20-4-104/A,

Inside Charminar Bus Stand, Punch Mohalla,

Hyderabad - 500 002.

Tel: 24572790, Cell: 9246538144

To
The Chairman,
Telangana State Regulatory Commission,
Singareni Bhavan, Red Hills,
Hyderabad.



مُمتاز اهمد هان

Date: 21-03-2016

Sir,

Sub: Retail Supply Tariff rate for Cat-VII B (Religious Places) – Certain Modifications – Urgent implementation of Tariff in total Mosques are situated in Telangana State – Req. Reg.

This is to bring to your kind notice that as per the purpose retail supply tariff rates, which is applicable with effect from 01-04-2015 to 31-03-2016 in respect of two Discom (TSSPDCL & TSNPDCL) State of Telangana.

The tariff rates for Cat-VII B (for Religious Places) proposed as follows:

| SI. No. | Connected Load | Rate Per Unit |
|---------|---------------------|---------------|
| 01. | For Load up to 2 KW | Rs.5/- |
| 02 | For Load above 2 KW | Rs.6.9 |

Now, it is brought under your notice that, every Mosque operates only during prayer times (i.e. 30-40 minutes) which result in increase in the connected load between 4 KW to 7 KW. Because of the increase in the connected load during prayer times attracting general purpose tariff rate i.e. Rs.6.9 per unit for all Mosque as against Rs.5/- per unit which is actually proposed for religious places.

Therefore, it is requested to arrange to enhance the connected load slab from 2 KW to atleast 5 KW for all religious places, for benefiting them Rs.5/- per unit which is actually proposed by your Commission and do the needful.

Thanking you,

Yours truly,

(MUMTAZ AHMED KHAN)

Copy to:

1. The Commission Secretary, TSERC, Red Hills, Hyderabad,

The Chief General Manager/Comml. & RAC, Corporate Office, TSSPDCL, Hyderabad,